

# Certificate

## SANITARY APPLIANCES

### Family of products: WATER

CSTB hereby certifies that the products referred to in the appendix comply with the characteristics described in the certification reference system SANITARY APPLIANCES (NF 017), in force, following an assessment performed according to the inspection procedures set out in this reference system.

By virtue of the present decision notified by CSTB, AFNOR Certification grants:

**The company**                      **MATEL HAMMADDE SANAYI VE TICARET AS**  
  
**ORGANIZE SANAYI BÖLGESİ ATATÜRK CADDESİ N°14**  
  
**TR-45030 MANISA**  
**Brand :**                              **SEREL**

the right to use the NF mark SANITARY APPLIANCES for the products covered under this decision, throughout its period of validity and under the conditions provided for in the general rules of NF mark and the above-mentioned reference system.

Renewal Decision SERE dated 06/10/2020

This decision takes the place of any previous decision.

Except in case of withdrawal, suspension or modification, this certificate is valid for 15 months.

This valid certificate is available on the following Web site <http://evaluation.cstb.fr> to check its validity.

## CERTIFIED CHARACTERISTICS

The products covered by the NF SANITARY APPLIANCES have the minimal characteristics required by the standards, possibly completed by the technical specifications specified in the appendix

**This certificate comprises 4 pages.**

**Correspondent :**

Martine TRUFFERT

Phone : (33) 01 64 68 82 84

Email : martine.truffert@cstb.fr

For CSTB  
On behalf of the President



Edwige PARISEL

**Appendix to the Certificate**

**Renewal Decision SERE dated 06/10/2020**

## Sanitary ceramic washbasins

These products have the minimum characteristics defined in the standard: NF EN 14688; NF EN 31; NF D11-201; NF D11-101; NF D14-601; NF D12-210 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Model	Pedestal	Water trap cover	Width (mm)
OVER COUNTER WASHBASIN	1831	Built-in toilet washbasin			475
OVER COUNTER WASHBASIN	1821	Built-in toilet washbasin			435

## Sanitary ceramic bidets

These products have the minimum characteristics defined in the standard: NF EN 14528; NF EN 35; NF D 11-107, NF D11-107; ND D14-601

Range	Commercial reference	Width (mm)	Length (mm)
LALE	7603	360	560

## Vitreous enamelled shower trays

These products have the minimum characteristics defined in the standard: NF EN 14527; NF EN 251; NF D11-124; NF D14-601 and into the technical(s) document(s) : DT017-21

Range	Commercial reference	Shape	Type	Width (mm)	Length (mm)
CORNER	4208	AN	To be installed	800	800
CORNER	4418	AN	To be installed	900	900
SHOWER TRAY	4508	Rectangular	To be installed	800	1200
SHOWER TRAY	4418	Square	To be installed	900	900
SHOWER TRAY	4518	Rectangular	To be installed	800	1000
SHOWER TRAY	4218	Square	To be installed	800	800
SQUARE	4008	Square	To be installed	800	800
SQUARE	4308	Square	To be installed	900	900
SQUARE	4108	Square	To be installed	700	700

**Appendix to the Certificate**

**Renewal Decision SERE dated 06/10/2020**

## Sanitary ceramic WC pans using less than 7 litres

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D 12-101 and into the technical(s) document(s) : DT017-12

Range	Commercial reference	Model	Material	Cistern reference	Outlet	Wall-hung	Type
CALI	6316	Pedestal, close-coupled cistern, direct flushing	Vitreous china	MN04	horizontale	No	
FRIENDLY	6706	Pedestal, close-coupled cistern, direct flushing	Vitreous china	6704	Horizontale	No	
IZMIR	6316	Pedestal, close-coupled cistern, direct flushing	Vitreous china	MN04	horizontale	No	
Néant	0422	Wall-hung, independent supply, direct flushing	Vitreous china		Horizontale	Yes	6
ZAMBAK	6316	Pedestal, close-coupled cistern, direct flushing	Vitreous china	6704	Horizontale	No	
ZAMBAK	6316	Pedestal, close-coupled cistern, direct flushing	Vitreous china	MN04	horizontale	No	

## Equipped flushing cisterns

These products have the minimum characteristics defined in the standard: NF EN 14055; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-14

**Appendix to the Certificate**

**Renewal Decision SERE dated 06/10/2020**

Range	Commercial reference	Control	Volume (L)	Mechanism reference	Ball valve reference	WC pan reference	Stop valve ref.
FRIENDLY	6704		6	SIAMP OPTIMA 45	SIAMP COMPACT 95L		
MINE	MN04		6	SIAMP OPTIMA 49	SIAMP COMPACT 95L	6316	
MINE	MN04G		6	GEBERIT IB 330	GEBERIT IB 230	6316	

**PACK**

These products have the minimum characteristics defined in the standard: NF EN 997; NF EN 33; NF D12-101; NF D 12-203; NF D14-601 and into the technical(s) document(s) : DT017-12; DT017-14; DT017-15

Range	Commercial reference	WC pan reference	Cistern reference	Control	Reference of toilet seat	REF_BATI	Stop valve ref.	Type
CALI	Néant	6316	MN04		JAPAR OCEAN			6
ZAMBAK	Néant	6316	MN04		MONTE CARLO 3			6
ZAMBAK 2	Néant	6316	MN04		JAPAR OCEAN			6
ZAMBAK 3	Néant	6316	MN04		JAPAR OCEAN SOFT CLOSE			6
ZAMBAK 4	Néant	6316	MN04G		OCEAN			6
ZOLA	Néant	6316	MN04		JAPAR OCEAN SOFT CLOSE			6